




WEIDASAR

TELECOMMUNICATION PIPES & CONDUITS



CORRUGATED Sub Ducts



HDPE Smoothducts Pipes



PVC-U Pipes



Certificate : SG04 / 00108



005

The quality management system governing the manufacturer of this PE pipe is ISO 9001:2008

- ISO 9001 : 2008 Quality Management System Certification for Manufacturer of Polyethylene (PE) Pipes.

CORRUGATED Sub Ducts

Size (mm)	Outer Diameter (mm)	Inner Diameter (mm)	Thickness (mm)
32.00	32.00	26.00	0.60
40.00	40.00	34.00	0.65



HDPE Smoothducts Pipes



Size (mm)	Outer Diameter (mm)	Inner Diameter (mm)	Thickness (mm)
32.00	32.00	26.00	3.00
40.00	40.00	33.00	3.50
50.00	50.00	42.00	4.00
110.00	110.00	92.80	8.1 - 9.1

PVC-U Pipes

Size (mm)	Outer Diameter (mm)	Thickness (mm)	Ovality (mm)	Socket Length (mm)	Engagement Length (mm)
107.00	107.00	2.6 - 3.0	106.0 - 107.0	102.00	75.00




High Density Polyethylene (HDPE) Corrugated Sub-Duct Associated Accessories


40mm Flange Holder for Sub-Ducts in Cable Chamber




40mm Flange Holder for Sub-Ducts in Manhole



32mm Flange Holder for Sub-Ducts in Cable Chamber



32mm Flange Holder for Sub-Ducts in Manhole



40 & 32mm End Cap Socket & 'O' Ring



Pull-line Rope



WEIDASAR SDN. BHD. (442825-P)

Lot 8729, 126-B, Tingkat 1, Green Heights Commercial Centre,
Jalan Lapangan Terbang, 93250 Kuching, Sarawak, Malaysia.

Tel : 60-82-450910 Fax : 60-82-460910 Email : weidasarkc@weidasar.com.my